



## Application for Firecracker Use Certificate

APPLICANT INFORMATION								
Family Name	Given Name	Date of Birth (yyyy/mm/dd)						
Address		Telephone						
City	Province / Territory	Postal Code						
FIRECRACKER USE INFORMATION								
Date and Time of Use	Quantity of Firecracker No more than 5 cases of firecrackers (not exceeding 16 000 per case) may be stored at any time.							
Site of Use								
Description of past experience using firecrackers								
Description of the safety precautions that will be taken when using the firecrackers								
ERD OFFICES								
<p>To apply for the Firecracker Use Certificate, send application form and <u>copy of the local authority's written approval to use the firecrackers</u> to your Explosives Regulatory Division (ERD) regional office:</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%; vertical-align: top; padding: 5px;"> <b>Pacific Region:</b>  <b>BC + YT</b>                      1500 - 605 Robson St.                      Vancouver, BC                      V6B 5J3                      Tel.: 604-666-0366                      Fax: 604-666-0399  <a href="mailto:ERDpacific@nrcan.gc.ca">ERDpacific@nrcan.gc.ca</a> </td> <td style="width: 25%; vertical-align: top; padding: 5px;"> <b>Western Region:</b>  <b>AB + SK + NT</b>                      214 - 755 Lake Bonavista SE                      Calgary, AB                      T2J 0N3                      Tel.: 403-292-4766                      Fax: 403-292-4689  <a href="mailto:ERDwestern@nrcan.gc.ca">ERDwestern@nrcan.gc.ca</a> </td> <td style="width: 25%; vertical-align: top; padding: 5px;"> <b>Central Region:</b>  <b>ON + MB</b>                      580 Booth St. 10<sup>th</sup> Floor                      Ottawa, ON                      K1A 0E4                      Tel.: 613-948-5187                      Fax: 613-948-5195  <a href="mailto:ERDcentral@nrcan.gc.ca">ERDcentral@nrcan.gc.ca</a> </td> <td style="width: 25%; vertical-align: top; padding: 5px;"> <b>Eastern Region:</b>  <b>QC + NU + Atlantic</b>                      2050 Girouard W, PO Box 100                      St. Hyacinthe, QC                      J2S 7B2                      Tel.: 450-773-3431                      Fax: 450-773-6226  <a href="mailto:ERDeastern@nrcan.gc.ca">ERDeastern@nrcan.gc.ca</a> </td> </tr> </table>					<b>Pacific Region:</b> <b>BC + YT</b> 1500 - 605 Robson St. Vancouver, BC V6B 5J3 Tel.: 604-666-0366 Fax: 604-666-0399 <a href="mailto:ERDpacific@nrcan.gc.ca">ERDpacific@nrcan.gc.ca</a>	<b>Western Region:</b> <b>AB + SK + NT</b> 214 - 755 Lake Bonavista SE Calgary, AB T2J 0N3 Tel.: 403-292-4766 Fax: 403-292-4689 <a href="mailto:ERDwestern@nrcan.gc.ca">ERDwestern@nrcan.gc.ca</a>	<b>Central Region:</b> <b>ON + MB</b> 580 Booth St. 10 <sup>th</sup> Floor Ottawa, ON K1A 0E4 Tel.: 613-948-5187 Fax: 613-948-5195 <a href="mailto:ERDcentral@nrcan.gc.ca">ERDcentral@nrcan.gc.ca</a>	<b>Eastern Region:</b> <b>QC + NU + Atlantic</b> 2050 Girouard W, PO Box 100 St. Hyacinthe, QC J2S 7B2 Tel.: 450-773-3431 Fax: 450-773-6226 <a href="mailto:ERDeastern@nrcan.gc.ca">ERDeastern@nrcan.gc.ca</a>
<b>Pacific Region:</b> <b>BC + YT</b> 1500 - 605 Robson St. Vancouver, BC V6B 5J3 Tel.: 604-666-0366 Fax: 604-666-0399 <a href="mailto:ERDpacific@nrcan.gc.ca">ERDpacific@nrcan.gc.ca</a>	<b>Western Region:</b> <b>AB + SK + NT</b> 214 - 755 Lake Bonavista SE Calgary, AB T2J 0N3 Tel.: 403-292-4766 Fax: 403-292-4689 <a href="mailto:ERDwestern@nrcan.gc.ca">ERDwestern@nrcan.gc.ca</a>	<b>Central Region:</b> <b>ON + MB</b> 580 Booth St. 10 <sup>th</sup> Floor Ottawa, ON K1A 0E4 Tel.: 613-948-5187 Fax: 613-948-5195 <a href="mailto:ERDcentral@nrcan.gc.ca">ERDcentral@nrcan.gc.ca</a>	<b>Eastern Region:</b> <b>QC + NU + Atlantic</b> 2050 Girouard W, PO Box 100 St. Hyacinthe, QC J2S 7B2 Tel.: 450-773-3431 Fax: 450-773-6226 <a href="mailto:ERDeastern@nrcan.gc.ca">ERDeastern@nrcan.gc.ca</a>					
<b>For Office Use Only</b>	Date App. Received	Date Cert. Issued/Denied	Revised by Inspector	Firecracker Use Certificate No.				

## Application for Firecracker Use Certificate

### Storing and Using Firecrackers

When storing firecrackers, the user must store their firecrackers in a dwelling or in a storage unit and ensure the following:

- 1) No more than five cases of firecrackers – not exceeding 16 000 firecrackers per case – may be stored at any one time {s. 447}.
- 2) When firecrackers are stored in a dwelling, they must be stored away from flammable substances and sources of ignition, in a manner that protects the firecrackers against theft and ensures that access to them is limited to people authorized by the user {s. 448(1)}.
- 3) When firecrackers are stored in a storage unit {s. 448(2)}:
  - The storage unit must be located in a dry place, away from flammable substances and sources of ignition;
  - The storage unit must be constructed and maintained to prevent unauthorized access and to protect the contents from weather;
  - If the storage unit is a container, it must not impede exit in case of fire;
  - If the storage unit is not a container, all exits must be kept unobstructed;
  - Any shelving in the storage unit must be made from non-sparking material (for example, wood or painted metal);
  - Only firecrackers may be stored in the storage unit;
  - The storage unit must be attended when it is unlocked;
  - The storage unit must be kept clean, dry, organized and free of grit;
  - Any spill, leakage, or other contamination in the storage unit must be cleaned up immediately;
  - Precautions that minimize the likelihood of fire in or near the storage unit must be taken; and
  - A sign that displays the words “Danger – Fire Hazard / Risque d’incendie” in letters at least 10 cm high and that prohibits smoking using letters, or a symbol, at least 10 cm high must be posted on the storage unit in a clearly visible location.
- 4) When using firecrackers, the user must:
  - Wear non-flammable clothing and protective equipment that minimizes the likelihood of harm {s. 449(2)(a)};
  - Have at least one fire extinguisher with a capacity of at least 3-A:60-B:C easily accessible {s. 449(2)(b)};
  - Remove any misfired firecrackers from the site of use as soon as the circumstances permit after the display {s. 449(3)}; and
  - Return all misfired and unused firecrackers to the seller as soon as circumstances permit after the date of use specified in the firecracker certificate {s. 449(4)}.